

ATHENA TRACK LIGHT SPEC SHEET



AT-TR



IP20
NON-WATER
PROOF



UGR
<17

The Athena LED track light is designed to provide high contrast, accent, or uniform ambient lighting. The segmented reflector and glare-mitigating lens provide the highest quality in beam control and lighting performance. Athena comes with an adapter suitable for 3-wire, single circuit tracks.

The light head pivots through 90° and rotates through 355°. The housing is made of die-cast aluminum and powder-coated. The frosted lens is standard, and the clear glass lens is optional. The lumen output is based on 3000K CCT, with CRI >90.



FEATURES

OPERATING TEMPERATURE	-40°C to 60°C / -40°F to 140°F
CONTROL	TRIAC Dimming
CCT	3000K, 3500K, 4000K (10W, 20W and 30W CCT Selectable)
WARRANTY	(40W and 50W Single CCT) CE and cETL, with 5 year warranty

1 LED
LED Quantity

120V
Operating Voltage

10W / 20W / 30W / 40W / 50W
Rated power

ELECTRICAL DATA

AVAILABLE WATTAGES	10W / 20W / 30W / 40W / 50W
EFFICACY	120 lm/W
OPERATING VOLTAGE	120V
CRI	>90

BODY FINISH

White Finish
RAL 9003



Black Finish
RAL 9005



Grey Finish
RAL 9006



ATHENA TRACK LIGHT SPEC SHEET

AT-TR-10W



SPECIFICATION

LED TYPE	COB
POWER	10 W
INSTALLATION	Track mounted
MATERIAL	Aluminum
FINISH	White, black, or grey powder coat
DELIVERED LUMENS	900 lm
SYSTEM EFFICIENCY	90 lm/W
LED DRIVER	Integral



PACKAGING


NEW WEIGHT LAMP	0.97 lb (0.44 kg)
GROSS WEIGHT CARTON	21.69 lb (9.84 kg)
MASTER CARTON DIMENSIONS	15.75 x 8.27 x 10.94 inches (400 x 210 x 278 mm)
QUANTITY PER CARTON	12

ORDERING CODE


PRODUCT SERIES	TYPE	POWER	COLOR TEMPERATURE	BEAM	LENS	CONTROL	VOLTAGE	FINISH	ACCESSORIES
AT	TR - Track Light	10W - 10 WATTS	CT30 - 3000K CT35 - 3500K CT40 - 4000K (Selectable)	15D - 15° 24D - 24° 36D - 36°	FR - Frosted (Standard) CL - Clear (Optional)	TRI - TRIAC	120V - 120V	WH - White BK - Black GR - Grey	NA - No Accessories HC - Honey Comb SNT - Snoot

Sample: AT-TR-10W-CT30-15D-FR-TRI-120V-HW-NA

DIMENSIONS



PHOTOMETRIC DATA



ATHENA TRACK LIGHT SPEC SHEET

AT-TR-20W



SPECIFICATION

LED TYPE	COB
POWER	20 W
INSTALLATION	Track mounted
MATERIAL	Aluminum
FINISH	White, black, or grey powder coat
DELIVERED LUMENS	1800 lm
SYSTEM EFFICIENCY	90 lm/W
LED DRIVER	Integral



PACKAGING


NEW WEIGHT LAMP	1.81 lb (0.82 kg)
GROSS WEIGHT CARTON	32.12 lb (14.5 kg)
MASTER CARTON DIMENSIONS	17.32 x 13.19 x 14.57 inches (440 x 335 x 370 mm)
QUANTITY PER CARTON	12

ORDERING CODE


PRODUCT SERIES	TYPE	POWER	COLOR TEMPERATURE	BEAM	LENS	CONTROL	VOLTAGE	FINISH	ACCESSORIES
AT	TR - Track Light	20W - 20 WATTS	CT30 - 3000K CT35 - 3500K CT40 - 4000K (Selectable)	15D - 15° 24D - 24° 36D - 36° 45D - 45° 60D - 60°	FR - Frosted (Standard) CL - Clear (Optional)	TRI - TRIAC	120V - 120V	WH - White BK - Black GR - Grey	NA - No Accessories HC - Honey Comb SNT - Snoot

Sample: AT-TR-20W-CT30-15D-FR-TRI-120V-HW-NA

DIMENSIONS



DIAGRAM



ATHENA TRACK LIGHT SPEC SHEET

AT-TR-30W



SPECIFICATION

LED TYPE	COB
POWER	30 W
INSTALLATION	Track mounted
MATERIAL	Aluminum
FINISH	White, black, or grey powder coat
DELIVERED LUMENS	2700 lm
SYSTEM EFFICIENCY	90 lm/W
LED DRIVER	Integral



PACKAGING


NEW WEIGHT LAMP	2.76 lb (1.25 kg)
GROSS WEIGHT CARTON	39.15 lb (17.76 kg)
MASTER CARTON DIMENSIONS	17.32 x 13.19 x 14.57 inches (440 x 335 x 370 mm)
QUANTITY PER CARTON	12

ORDERING CODE


PRODUCT SERIES	TYPE	POWER	COLOR TEMPERATURE	BEAM	LENS	CONTROL	VOLTAGE	FINISH	ACCESSORIES
AT	TR - Track Light	30W - 30 WATTS	CT30 - 3000K CT35 - 3500K CT40 - 4000K (Selectable)	15D - 15° 24D - 24° 36D - 36° 45D - 45° 60D - 60°	FR - Frosted (Standard) CL - Clear (Optional)	TRI - TRIAC	120V - 120V	WH - White BK - Black GR - Grey	NA - No Accessories HC - Honey Comb SNT - Snoot

Sample: AT-TR-30W-CT30-15D-FR-TRI-120V-HW-NA

DIMENSIONS



DIAGRAM



ATHENA TRACK LIGHT SPEC SHEET

AT-TR-40W



SPECIFICATION

LED TYPE	COB
POWER	40 W
INSTALLATION	Track mounted
MATERIAL	Aluminum
FINISH	White, black, or grey powder coat
DELIVERED LUMENS	3600 lm
SYSTEM EFFICIENCY	90 lm/W
LED DRIVER	Integral



PACKAGING


NEW WEIGHT LAMP	3.59 lb (1.63 kg)
GROSS WEIGHT CARTON	39.79 lb (18.05 kg)
MASTER CARTON DIMENSIONS	17.32 x 13.19 x 14.57 inches (440 x 335 x 370 mm)
QUANTITY PER CARTON	12

ORDERING CODE


PRODUCT SERIES	TYPE	POWER	COLOR TEMPERATURE	BEAM	LENS	CONTROL	VOLTAGE	FINISH	ACCESSORIES
AT	TR - Track Light	40W - 40 WATTS	CT30 - 3000K CT35 - 3500K CT40 - 4000K	15D - 15° 24D - 24° 36D - 36° 45D - 45° 60D - 60°	FR - Frosted (Standard) CL - Clear (Optional)	TRI - TRIAC	120V - 120V	WH - White BK - Black GR - Grey	NA - No Accessories HC - Honey Comb SNT - Snoot

Sample: AT-TR-40W-CT30-15D-FR-TRI-120V-HW-NA

DIMENSIONS



DIAGRAM



ATHENA TRACK LIGHT SPEC SHEET

AT-TR-50W



SPECIFICATION

LED TYPE	COB
POWER	50 W
INSTALLATION	Track mounted
MATERIAL	Aluminum
FINISH	White, black, or grey powder coat
DELIVERED LUMENS	4500 lm
SYSTEM EFFICIENCY	90 lm/W
LED DRIVER	Integral



PACKAGING


NEW WEIGHT LAMP	3.59 lb (1.63 kg)
GROSS WEIGHT CARTON	39.79 lb (18.05 kg)
MASTER CARTON DIMENSIONS	17.32 x 13.19 x 14.57 inches (440 x 335 x 370 mm)
QUANTITY PER CARTON	12

ORDERING CODE

PRODUCT SERIES	TYPE	POWER	COLOR TEMPERATURE	BEAM	LENS	CONTROL	VOLTAGE	FINISH	ACCESSORIES
AT	TR - Track Light	50W - 50 WATTS	CT30 - 3000K CT35 - 3500K CT40 - 4000K	15D - 15° 24D - 24° 36D - 36° 45D - 45° 60D - 60°	FR - Frosted (Standard) CL - Clear (Optional)	TRI - TRIAC	120V - 120V	WH - White BK - Black GR - Grey	NA - No Accessories HC - Honey Comb SNT - Snoot

Sample: AT-TR-50W-CT30-15D-FR-TRI-120V-HW-NA

DIMENSIONS



DIAGRAM

